

QM48T/S25050 Series as part of QmaX(TM) Series is an surface/through hole mount isolated quarter brick DC-DC converter that operates from a nominal 48 Vdc source. These units provides up to 125 W output power 25 A output current and 5.0 VDC output voltage.

The PFC500 products of the PerFormanCe Power Series combine high performance midrange power with high power density (4.4 watts/in<sup>3</sup> ) and high reliability. Wide input voltage range of 85 - 264 output power up to 500W and compact 9 x 5 x 2.5 Inch footprint.

The Bel Power Solutions 700DNC40-12-xG is a 4kW DC/DC Converter that creates DC voltages in hybrid and electric vehicles suitable to power low voltage accessories. Liquid cooled or convection cooled DC/DC converter operates at input voltages from 400 to 800 VDC and delivers power range up to 4000 W / 3300 W (liquid / convection cooled model). ...

The Bel Power Solutions FXP/FXC 6000/7000 Series of power supplies offers up to 7000 W of power at 48 V and is a powerful resource for any company seeking higher power levels to automatic test equipment, telecom, data communications and other distributed power designs. This product has a three-phase, three-wire input with selectable low and ...

The CPA and CPD Series are highly reliable power supplies for CompactPCI systems, which are increasingly used in communications, industrial, military, aerospace, and other applications. These power supplies offer high power density in plug-in modules that meet the requirements of the PICMG power interface specification for CompactPCI systems.

The Bel Power Solutions 700DNC40-24-xG is a 4kW DC/DC Converter that creates DC voltages in hybrid and electric vehicles suitable to power low voltage accessories. Liquid cooled or convection cooled DC/DC converter operates at input voltages from 400 to 850 VDC and delivers power range up to 4000 W / 3300 W (liquid / convection cooled model). ...

Bel Power Solutions PSR122.5-7IP. Images are for reference only. Kynix Part #: KY703-PSR122.5-7IP. Manufacturer Part #: PSR122.5-7IP. Product Category: DC DC Converters. Manufacturer: Bel Power Solutions. Description: Module DC-DC 1-OUT 12V 2.5A 6-Pin DIP Module. Package: 6-DIP Module.

350INVCH150 Series is a 15 kW bi-directional inverter charger that converts AC to DC voltages in charge Mode and converts DC voltages to pure sine wave AC to power AC accessories. The liquid cooled inverter charger operates at 250-435 VDC and 120/240 VAC (50/60 Hz) split-phase.

Bel Power Solutions & Protection offers world-class AC-DC and DC-DC power conversion products,

value-add power solutions, complete box-build solutions and contract manufacturing services, along with a complete portfolio of electronic ...

The Bel Power Solutions BCV200-350-8 is a 20 kW combo unit consisting of three subsystems: 15 kW bidirectional inverter-charger, 4 kW 12 V down converter, 1 kW 24 V down converter. This all-in-one eMobility unit combines ...

The LPM Series is Bel Power Solutions" highly-configurable modular product offering up to eight outputs at 900W or twelve outputs at 1600W with each output adjustable from 1.5 to 54 VDC. Design your AC to DC Power Supply to your requirements in ...

The Bel Power Solutions 350DNG40-12-8 is a 2nd generation 4 kW liquid cooled DC-DC converter that creates DC voltages in hybrid and electric vehicles suitable to power low voltage accessories. 350DNG40-12-8 converter operates at input voltages from 240 to 450 VDC and delivers up to 4000 W of output power. Features include very high efficiency ...

LDW240 Series are single two or three phase 240W DIN Rail Switching Power Supplies. Its compact size high efficiency excellent reliability together with easy installation makes it ideal for various industrial telecom and renewable energy applications.

Bel Power Solutions MAP55 Series of power supplies provides reliable, tightly regulated DC power for industrial systems. MAP55 series complies with EMC product standard EN 61204-3. All RoHS compliant units bear the CE Mark. The MAP55 utilizes a thermally efficient U-channel chassis design. Other mechanical design innovations include metric and ...

The 6600 W stand-alone V2 Power Shelf with a 12.6 VDC main output and a 54 VDC auxiliary output is powered from 3-phase AC line and hosting three 3300 W (N + 1) hot-swappable single phase V2 Power supply units and three 3600 W battery back-up units (BBU).

The Bel Power Solutions 700DNG40-24-8 is a 2nd generation 4 kW liquid cooled DC-DC converter that creates DC voltages in hybrid and electric vehicles suitable to power low voltage accessories. 700DNG40-24-8 converter operates at input voltages from 450 to 900 VDC and delivers up to 4000 W of output power. Features include very high efficiency ...

Web: <https://purelysolar.co.za>